

Contents of *Aquaculture*, Volume 243

VOL. 243 NOS. 1–4

3 January 2005

Diseases

- The use of the polychaete worm *Nereis virens* eggs as vehicle for the delivery of oxytetracycline in *Solea solea* larvae
P. Katharios (Scotland, UK), R.P. Smullen (Scotland, UK; Queensland, Australia) and V. Inglis (Scotland, UK) 1
- Effect of antiprotozoal drugs on the proliferation of the bivalve parasite *Perkinsus olseni*
L.M. Elandalloussi, R.B. Leite, P.M. Rodrigues, R. Afonso, P.A. Nunes and M.L. Cancela (Faro, Portugal) 9

Genetics

- Evaluation of methods for DNA delivery into shrimp zygotes of *Penaeus (Litopenaeus) vannamei*
P.S. Sun, N.C. Venzon Jr., F.R.O. Calderon and D.M. Esaki (Honolulu, Hawaii, USA) 19
- Estimates of genetic parameters for growth traits of the sea urchin, *Strongylocentrotus intermedius*
X.-l. Liu (Qingdao, Shaanxi, China), Y.-q. Chang (Dalian, China), J.-h. Xiang (Qingdao, China) and X.-b. Cao (Dalian, China) 27
- Microsatellite DNA markers of Ezo abalone (*Haliotis discus hannai*): a preliminary assessment of natural populations sampled from heavily stocked areas
M. Sekino (Miyagi, Japan), T. Saido (Iwate, Japan), T. Fujita (Fukushima, Japan), T. Kobayashi (Iwate, Japan) and H. Takami (Miyagi, Japan) 33
- RAPD and microsatellite analysis of diploid gynogens from allotetraploid hybrids of red crucian carp (*Carassius auratus*) × common carp (*Cyprinus carpio*)
J. Yan, S. Liu, Y. Sun, C. Zhang, K. Luo and Y. Liu (Changsha, People's Republic of China) 49
- Truncation selection for BLUP-EBV and phenotypic values in fish breeding schemes
A.K. Sonesson, B. Gjerde and T.H.E. Meuwissen (Ås, Norway) 61
- Comparative analysis and characterization of expressed sequence tags in gilthead sea bream (*Sparus aurata*) liver and embryos
E. Sarropoulou (Crete, Greece; Tübingen, Germany), D.M. Power (Faro, Portugal), A. Magoulas (Crete, Greece), R. Geisler (Tübingen, Germany) and G. Kotoulas (Crete, Greece) 69
- Genetic (co)variation in harvest body weight and survival in *Penaeus (Litopenaeus) vannamei* under standard commercial conditions
T. Gitterle (Bogotá, Colombia), M. Rye (Sundalsøra, Norway), R. Salte (Ås, Norway), J. Cock (Bogotá, Colombia), H. Johansen (Sundalsøra, Norway), C. Lozano, J. Arturo Suárez (Bogotá, Colombia) and B. Gjerde (Ås, Norway) 83
- Assessment of homozygosity and fertility in meiotic gynogens of the European sea bass (*Dicentrarchus labrax* L.)
A. Francescon, A. Barbaro, D. Bertotto, A. Libertini (Venezia, Italy), F. Cepollaro (Padova, Italy), J. Richard (Pellestrina (Ve), Italy), P. Belvedere and L. Colombo (Padova, Italy) 93
- Assessing the genetic structure of three Japanese flounder (*Paralichthys olivaceus*) stocks by microsatellite markers
Y. Liu, S. Chen and B. Li (Qingdao, China) 103

Husbandry and Management

- Effect of water temperature on individual reproductive activity of pollack (*Pollachius pollachius*)
M. Suquet, Y. Normant, J.L. Gaignon, L. Quémener (Plouzané, France) and C. Fauvel (Palavas, France) 113

| | |
|--|-----|
| Stocking density and welfare of cage farmed Atlantic salmon: application of a multivariate analysis J. Turnbull, A. Bell (Stirling, UK), C. Adams (Glasgow, UK), J. Bron (Stirling, UK) and F. Huntingford (Glasgow, UK) | 121 |
| Spawning of captive Senegal sole (<i>Solea senegalensis</i>) under a naturally fluctuating temperature regime V. Anguis and J.P. Cañavate (Cádiz, Spain) | 133 |
| Morphological conditioning of a hatchery-raised invertebrate, <i>Callinectes sapidus</i> , to improve field survivorship after release J.L.D. Davis, M.G. Eckert-Mills, A.C. Young-Williams, A.H. Hines (Edgewater, MD, United States) and Y. Zohar (Baltimore, MD, United States) | 147 |
| Preliminary study on the effects of exclusion of wild fauna from aquaculture cages in a shallow marine environment M. Felsing (Western Australia, Australia; Stirling, UK), B. Glencross (Western Australia, Australia) and T. Telfer (Stirling, UK) | 159 |
| Economic evaluation of <i>Piaractus mesopotamicus</i> juvenile production in different rearing systems R.K. Jomori, D.J. Carneiro, M.I.E.G. Martins and M.C. Portella (São Paulo, Brazil) | 175 |
| The effect of high air and water temperature on juvenile <i>Mytilus edulis</i> in Prince Edward Island, Canada N. LeBlanc (Charlotte town, Prince Edward Island, Canada), T. Landry (Moncton, New Brunswick, Canada), H. Stryhn (Charlottetown, Prince Edward Island, Canada), R. Tremblay (Rimouski, QC, Canada), M. McNiven and J. Davidson (Charlottetown, Prince Edward Island, Canada) | 185 |
| Influence of environmental factors, season and size at deployment on growth and retrieval of postlarval lion's paw scallop <i>Nodipecten nodosus</i> (Linnaeus, 1758) from a subtropical environment G.S. Rupp, G.J. Parsons, R.J. Thompson (St. John's, NL, Canada) and M.M. de Bem (Florianópolis, Brazil) | 195 |
| Batch and fed-batch cultivations of <i>Spirulina platensis</i> using ammonium sulphate and urea as nitrogen sources D. Soletto, L. Binaghi, A. Lodi (Genoa, Italy), J.C.M. Carvalho (São Paulo, Brazil) and A. Converti (Genoa, Italy) | 217 |
| Temperature effects on acute copper toxicity to juvenile channel catfish <i>Ictalurus punctatus</i> P.W. Perschbacher (Pine Bluff, AR, USA) | 225 |
| Control of reproduction in Nile tilapia <i>Oreochromis niloticus</i> (L.) by photoperiod manipulation A.K. Biswas, T. Morita, G. Yoshizaki, M. Maita and T. Takeuchi (Tokyo, Japan) | 229 |
| Nutrition | |
| The viability of probiotic bacteria as a factor influencing the immune response in rainbow trout <i>Oncorhynchus mykiss</i> A. Panigrahi, V. Kiron, J. Puangkaew, T. Kobayashi, S. Satoh (Tokyo, Japan) and H. Sugita (Kanagawa, Japan) | 241 |
| Description of the heterogeneity of lipid distribution in the flesh of brown trout (<i>Salmo trutta</i>) by MR imaging C. Toussaint, B. Fauconneau (Rennes Cedex, France), F. Médale (Saint Pée sur Nivelle, France), G. Collewet (Rennes Cedex, France), S. Akoka (Cedex 3, France), P. Haffray and A. Davenel (Rennes Cedex, France) | 255 |
| A novel method of collecting fecal samples from spiny lobsters S.J. Irvin and S.J. Tabrett (Cleveland Q., Australia) | 269 |
| Juvenile tilapia (<i>Oreochromis niloticus</i> × <i>Oreochromis aureus</i>) requires dietary <i>myo-inositol</i> for maximal growth S.-Y. Shiau and S.-L. Su (Keelung, Taiwan) | 273 |
| Relative importance of phytoplankton and periphyton on oyster-culture pens in a eutrophic tropical lagoon H.-J. Lin, T.-C. Wang, H.-M. Su and J.-J. Hung (Taiwan, R.O.C.) | 279 |
| Use of commercial <i>Artemia</i> replacement diets in culturing larval American lobsters (<i>Homarus americanus</i>) D.R. Fiore and M.F. Thustly (Boston, MA, USA) | 291 |
| Dioxin and dioxin-like polychlorinated biphenyls (PCBs) in Scottish farmed salmon (<i>Salmo salar</i>): effects of replacement of dietary marine fish oil with vegetable oils J.G. Bell, F. McGhee, J.R. Dick and D.R. Tocher (Scotland, UK) | 305 |
| Dietary microbial phytase increased the phosphorus digestibility in juvenile Korean rockfish <i>Sebastes schlegelii</i> fed diets containing soybean meal G.-Y. Yoo, X. Wang, S. Choi, K. Han, J.-C. Kang and S.C. Bai (Busan, South Korea) | 315 |
| Effects of the dietary protein and lipid levels on growth and body composition of bagrid catfish, <i>Pseudobagrus fulvidraco</i> L.O. Kim (Chungju, South Korea) and S.-M. Lee (Gangneung, South Korea) | 323 |
| Effect of dietary 22:6n-3 on growth, survival and tissue fatty acid profile of striped trumpeter (<i>Latris lineata</i>) larvae fed enriched <i>Artemia</i> M.P. Bransden, S.C. Battaglene, D.T. Morehead, G.A. Dunstan and P.D. Nichols (Tasmania, Australia) | 331 |
| Physiology and Endocrinology | |
| Age, ration level, and exercise affect the fatty acid profile of chinook salmon (<i>Oncorhynchus tshawytscha</i>) muscle differently A. Kiessling (Ås, Norway; Umeå, Sweden), J. Pickova (Uppsala, Sweden), J.G. Eales (Winnipeg, MB, Canada), B. Dosanjh and D. Higgs (West Vancouver, BC, Canada) | 345 |

| | |
|--|-----|
| Effects of starvation on larval growth, survival and metamorphosis of Ivory shell <i>Babylonia formosae habei</i> Altena et al., 1981 (Neogastropoda: Buccinidae) | |
| H. Zheng (Xiamen, Qindao, China), C. Ke, S. Zhou and F. Li (Xiamen, China) | 357 |
| Study of digestive proteinases and proteinase inhibitors of <i>Daphnia carinata</i> | |
| S. Kumar, A. Srivastava and R. Chakrabarti (Delhi, India) | 367 |
| Stress responses in Atlantic salmon (<i>Salmo salar</i> L.) smolts during commercial well boat transports, and effects on survival after transfer to sea | |
| M. Iversen (Bodo, Norway), B. Finstad (Trondheim, Norway), R.S. McKinley (Marine Drive, Canada), R.A. Eliassen (Bodo, Norway), K.T. Carlsen and T. Evjen (Trondheim, Norway) | 373 |
| Effects of an organophosphorus insecticide, trichlorfon, on hematological parameters of the giant freshwater prawn, <i>Macrobrachium rosenbergii</i> (de Man) | |
| S.-P. Yeh, T.-G. Sung, C.-C. Chang, W. Cheng and C.-M. Kuo (Taiwan, ROC) | 383 |
| Serum steroid profiles in artificially maturing female Japanese eel, <i>Anguilla japonica</i> | |
| H. Matsubara (Hokkaido, Yamanashi, Japan), P.M. Lokman (Dunedin, New Zealand), Y. Kazeto (Hokkaido, Japan; Baltimore, MD, USA), S. Adachi and K. Yamauchi (Hokkaido, Japan) | 393 |
| Short Communications | |
| Microbial communities associated with filter materials in recirculating aquaculture systems of freshwater fish | |
| H. Sugita, H. Nakamura and T. Shimada (Kanagawa, Japan) | 403 |
| Gynogenesis induction and sex determination in the Eurasian perch, <i>Perca fluviatilis</i> | |
| C. Rougeot (Tihange, Belgium), J.V. Ngingo (Butembo, République Démocratique du Congo), L. Gillet, A. Vanderplasschen (Liège, Belgium) and C. Mélard (Tihange, Belgium) | 411 |
| Book Review | |
| Effects of Pollution on Fish | |
| T. Lang (Cuxhaven, Germany) | 417 |
| Guide for Authors | 419 |
| Contents of Aquaculture, Volume 243 | 425 |



